

**430214 to 430219—Continued****430217 and 430218—Continued**

430218. X35-3-110-7-3-2. California. Selection from cross Princess × M570.

**430219. PHASEOLUS sp.**

8-1-5-2. New Mexico, 15 km south of Animas Peak in New Mexico panhandle. Shade loving.

**430220. ROBUS sp. Rosaceae.**

From Ecuador. Seed collected by P. K. Soderholm, Subtropical Horticulture Research Station, 13601 Old Cutler Road, Miami, Florida. Numbered October 16, 1978.

S9-78. Roadside between Quevedo and Lotacurga. Bush to 2 m. Stems and underside midrib of leaf thorny. Flowers pink. Berry red, up to 28 by 31 mm, drupelets small. Sepals and fruit persistent on receptacle. Acid flavor. Elevation 2,913 m.

**430221 to 430225.**

From India. Seed presented by M. V. Reddi, Department of Plant Breeding, College of Agriculture, Rajendranagar, Hyderabad. Numbered October 23, 1978.

**430221 to 430223. ARACHIS HYPOGAEA L. Fabaceae.**

430221. Junagadh-11. Spanish type developed at Junagadh, Gujarat State. Progeny from Ah.4218 × Ah.4354. Wide adaptability. Maturity 115-120 days. Resistant to aflatoxin contamination.

430222. MK 374. Selection from an African introduction. Virginia bunch type. Wide adaptability. Maturity 135 days.

430223. Robout 33-1. Selection from an African introduction. Runner habit. High yield. Early maturity at 125 days.

**430224 and 430225. ARACHIS (hybrid)**

430224. X-1-16-1-1-B. Advanced generation of Spanish *A. hypogaea* × *monticola*. Top yielder in varietal tests in India.

430225. X-1-19-1-2-B. Advanced generation of Spanish *A. hypogaea* × *monticola*. Top yielder in varietal tests in India.

**430226 to 430239. ARACHIS HYPOGAEA L. Fabaceae. Peanut.**

From People's Republic of China. Seed presented by Kwangtung Agricultural Research Institute, Kwangtung Province, through D. C. H. Hsi, New Mexico State University, Plains Branch Station, Clovis. Numbered October 27, 1978.

430226. A21. Te Tow. Originated in Soong Hwa County. Erect type. Maturity 120 days.

430227. A122. Shih Tow Chi. Originated from Chen Hai County. Erect type. Wide adaptability. Moderate disease resistance. Maturity 120 days.

430228. A306. Chin Chi No. 10. Originated in En Ping County. Erect type. Stems slender. Maturity 120 days.

430229. A316. Ling Yu No. 1. Originated in Ling Shui County. Erect type. Selected from Shih Tow Chi. Fruits medium to large. Maturity 120 days.